

OPERATING AND INSTALLATION INSTRUCTIONS

ICON-LINE MODERNA SERIES

Icon-Line Moderna SCA is exempt for use in smoke control areas when burning dry wood
PENDING



www.hetaheating.com




GB

DANISH DESIGN . DANISH QUALITY . DANISH PRODUCTION

www.pieces-de-poele.com

1.22 Icon-Line Moderna Series


Parts - Inside fire chamber



Pos.	No.	Name	Qty.
1	0023-026431	Bottom stone - right side	1
2	0023-026436	Vermiculite, rear, bottom	1
3	0023-026437	Vermiculite, rear, top	1
4	0023-026438	Baffle, left	1
5	0023-026698	Bottom stone - left side	1
6	0023-027040	Baffle, right	1
7	0023-027070	Vermiculite right side - front	1
8	0023-027077	Vermiculite, rear, right	1
9	0023-027124	Vermiculite, side, left	1
10	0023-027125	Vermiculite, rear, left	1
11	1011-0137	Tertiary nozzle	1
12	1013-006262	Stainless rail	1


Icon-Line Moderna Side windows

Parts - Inside fire chamber



Pos.	No.	Name	Qty.
1	0023-026431	Bottom stone - right side	1
2	0023-026433	Vermiculite right side - front	1
3	0023-026434	Stone under side windows	2
4	0023-026435	Vermiculite, rear, right	1
5	0023-026436	Vermiculite, rear, bottom	1
6	0023-026437	Vermiculite, rear, top	1
7	0023-026438	Baffle, left	1
8	0023-026698	Bottom stone - left side	1
9	0023-026846	Vermiculite, side, left	1
10	0023-026847	Vermiculite, rear, left	1
11	0023-027040	Baffle, right	1
12	1011-0137	Tertiary nozzle	1
13	1013-006262	Stainless rail	1

Parts - Door



Pos.	No.	Name	Qty.
1	0008-0036	M4x6 Hexagon socket head cap screw BN 1206 Black	12
2	0008-1002	M6x6 Hexagon socket set screw BN30, FZB	1
3	0008-2304	M4x6 Hexalobular socket pan head screw BN 5687, RF A2	2
4	0021-026343	Glass	1
5	0023-3008	Glass gasket $\varnothing 12$ L = 1,7 m	1
6	0023-3010	Textile glass 6 mm with adhesive L = 1,6 m	1
7	0030-026639	Stove door	1
8	1013-026942	Glass strip, top	1
9	1013-026984	Glass strip, lower	1
10	6000-005970	Close roller, completet	1
11	6000-027676	Handle, completet	1
12	0008-0014	M6x6 Socket head cap screw	6
13	1013-027748	Stop bracket for front glass	3