

OPERATING AND INSTALLATION INSTRUCTIONS

PRESTIGE INSERT

*THE PRESTIGE / PRESTIGE SCA SERIES IS EXEMPT FOR USE IN SMOKE CONTROL AREAS WHEN
BURNING DRY WOOD*



Prestige A



Prestige BL



Prestige BR



Prestige C



www.hetaheating.com




EN

DANISH DESIGN . DANISH QUALITY . DANISH PRODUCTION

www.pieces-de-poele.com

1.21 Reservedele Prestige Model A, BR, BL og C



Pos. No.	Name	Qty.	Pos. No.	Name	Qty.
1 0023-0213	Top Back stone, left	1	26 1513-0123 **	Closing System	1
2 0023-0215	Left baffle	1	27 4005-0052	Left-hinged door	1
3 0023-0214	Right baffle	1	27 4005-0053	Right-hinged door	1
4 0023-0212	Lower back stone, left	1	28 0008-2008	Socket screw M4x8	8
5 0023-0211	Top back stone, right	1	28 1013-0529	Glass clips	8
6 0023-0210	Lower back stone, right	1	29 0021-0066	Side Glass, large	1
7 0023-0216	Right side stone	*	30 0023-3010	Seal 6 mm with adhesive	1.5 m
8 0023-0218	Side stone, small	*	31 0021-0065	Side Glass, small	1
9 0023-0220	Loose stones to bottom right	1	32 0023-3010	Seal 6 mm with adhesive	1.4 m
10 0023-0222	Bottom Stone	3	33 0023-3013	Seal with adhesive 3x8 mm	1.6 m
11 0023-0211	Loose stones to bottom, left	1	34 1505-0087	Side Door to variant BR/BL/C	1
12 0023-0217	Left side stone	*	35 2110-0011	Side frame variant BR/BL/C	1
13 1027-0471	Guard for baffle plate	1	36 0016-0134	Bushing to handle	1
14 2110-0012	Front Frame for variant C	2	37 0016-0105	Washer Ø18x2	1
15 2110-0010	Front Frame for variant BR / BL	1	38 0008-0914	M6x25	1
16 2110-0009	Front Frame for variant A	1	39 0016-0137	Brass bushing 2 Ø14	1
17 0021-0064	Front glass	1	40 1520-0042	Handle black	1
18 1513-0125	Assembled bracket for door	2	40 1520-0049	Handle gray	1
19 0008-2304	M4x6 socket screw	6	41 0016-0136	Brass bushing 1 Ø14	1
19 1013-0529	Glass clips	6	42 0008-2008	Socket screw M4x8	1
20 0023-3010	Seal 6 mm with adhesive	2.0 m	43 0008-9111	Tension spring to handle	1
21 0023-3008	Seal rope ø12 textile cover	1.9 m			
22 0030-2609	Hinge	2			
23 0008-9082	Cylinder pin 6x35	2			
24 4013-0004	Start-up air return spring	1			
25 1513-0124 **	Closure mirrored	1			

* Number depending on model

** 1513-0123:

Left-hinged - location on top of the oven

Right-hinged door - placing the oven

1513-0124:

Left-hinged - placing the oven

Right-hinged door - location on top of oven